IN THE CLAIMS

Please amend the claims of the present application under the provisions of 37 C.F.R. §1.121(c), as indicated below:

- 1. (Cancelled):
- 2. (Previously presented): The derivatives according to claim 17, characterized in that the compound having formula (I) are present as tautomeric forms, pure or as blends of tautomeric forms, in any proportion whatsoever
- 3-12 (Cancelled):
- 13. (Previously presented): Herbicidal compositions containing, one or more compounds having general formula (I):

wherein A, B and R have the meanings according to claim 17, possibly also as a blend of tautomers.

- 14. (Previously presented): The herbicidal compositions according to claim 13, including other herbicides, fungicides, insecticides, acaricides, fertilizers, compatible with the compounds having general formula (I).
- 15. (Original): The herbicidal compositions according to claim 14, characterized in that the additional herbicides are selected from: acetochlor, acifluorfen, aclonifen, AKH-7088, alachlor, alloxydim, ametryn, amicarbazone, amidosulfuron, amitrole, anilofos, asulam, atrazine, azafenidin,

azimsulfuron, aziprotryne, BAS 670 H, BAY MKH 6561, beflubutamid, benazolin, benfluralin, benfuresate, bensulfuron, bensulide, bentazone, benzfendizone. benzobicyclon, benzofenap, benzthiazuron, bifenox, bilanafos, bispyribac-sodium, bromacil, bromobutide, bromofenoxim, bromoxynil, butachlor, butafenacil, butamifos, butenachlor, butralin, butroxydim, butylate, cafenstrole, carbetamide, carfentrazone-cthyl, chlomethoxyfen, chloramben, chlorbromuron, chlorbufam, chlorflurenol, chloridazon, chlorimuron, chlornitrofen, chlorotoluron, chloroxuron, chlorpropham, chlorsulfuron, chlorthal, chlorthiamid, cinidon ethyl, cinmethylin, cinosulfuron, clethodim, clodinafop, clomazone, clomeprop, clopyralid, cloransulammethyl, cumyluron (JC-940), cyanazine, cycloate, cyclosulfamuron, cycloxydim, cyhalofop-butyl, 2,4-D, 2,4-DB, daimuron, dalapon, desmedipham, desmetryn, dicamba, dichlobenil, dichlorprop, dichlorprop-P, diclofop, diclosulam, diethatyl, difenoxuron, difenzoquat, diflufenican, diflufenzopyr, dimefuron, dimepiperate, dimethachlor, dimethametryn, dimethenamid, dinitramine, dinosseb, dinoseb acetate, dinoterb, diphenamid, dipropetryn, diquat, dithiopyr, 1-diuron, eglinazine, endothal, EPTC, espropearb, ethalfluralin, ethametsulfuron-methyl, ethidimuron, ethiozin (SMY 1500), ethofumesate, ethoxyfen-ethyl (HC-252), ethoxysulfuron, etobenzanid (HW 52), fenoxaprop, fenoxaprop-P, fentrazamide, fenuron, flamprop, flamprop-M, flazasulfuron, florasulam, fluazifop, fluazifop-P, fluazolate (JV 485), flucarbazonesodium, fluchloralin, flufenacet, flufenpyr ethyl, flumetsulam, flumiclorac-pentyl, flumioxazin, flumipropin, fluometuron, fluoroglycofen, fluoronitrofen, flupoxam, fluproanate, flupyrsulfuron, flurenol, fluridone, flurochloridone, fluroxypyr, flurtamone, fluthiacet-methyl, fornesafen, foramsulfuron, fosamine, furyloxyfen, glufosinate, glyphosate, halosulfuron-methyl, haloxyfop, haloxyfop-P-methyl, hexazinone, imazamethabenz, imazamox, imazapic, imazapyr, imazaquin, imazethapyr, imazosulfuron, indanofan, iodosulfuron, ioxynil, isopropalin, isoproturon, isouron, isoxaben, isoxachlortole, isoxaflutole, isoxapyrifop, KPP-421, lactofen, lenacil, linuron, LS830556, MCPA, MCPA-thiocthyl, MCPB, mecoprop, mecoprop-P, mefenacet, mesosulfuron, mesotrione, metamitron, metazachlor,

methabenzthiazuron, methazole, methoprotryne, methyldymron, metobenzuron, metobromuron, metolachlor, S-metolachlor, metosulam, metoxuron, metribuzin, metsulfuron, molinate, monalide, monolinuron, naproanilide, napropamide, naptalam, NC-330, neburon, nicosulfuron, nipyraclofen, norflurazon, orbenearb, oryzalin, oxadiargyl, oxadiazon, oxasulfuron, oxaziclomefone, oxyfluorfen, paraquat, pebulate, pendimethalin, penoxsulam, pentanochlor, pentoxazone, pethoxamid, phenmedipham, picloram, picolinafen, piperophos, pretilachlor, primisulfuron, prodiamine, profluazol, proglinazine, prometon, prometryne, propachlor, propanil, propaquizafop, propazine, propham, propisochlor, propyzamide, prosulfocarb, prosulfuron, pyraclonil, pyraflufen-ethyl, pyrazogyl (HAS-961), pyrazolynate, pyrazosulfuron, pyrazoxyfen, pyribenzoxim, pyributicarb, pyridafol, pyridate, pyriftalid, pyriminobac-methyl, pyrithiobac-sodium, quinclorac, quinmerac, quizalofop, quizalofop-P, rimsulfuron, sethoxydim, siduron, simazine, simetryn, sulcotrione, sulfentrazone, sulfometuronmethyl, sulfosulfuron, 2,3,6-TBA, TCA-sodium, tebutam, tebuthiuron, tepraloxydim, terbacil, terbumeton, terbuthyl-azine, terbutryn, thenylchlor, thiazafluron, thiazopyr, thidiazimin, thifensulfuron-methyl, thiobencarb, tiocarbazil, tioclorim, tralkoxydim, tri-allate, triasulfuron, triaziflam, tribenuron, triclopyr, trictazine, trifloxysulfuron, trifluralin, triflusulfuron-methyl, tritosulfuron, UBI-C4874, vernolate.

16. (Orignal): The compositions according to any of the claims 13-15, characterized in that the concentration of active substance ranges from 1 to 90%.

17. (Previously presented): Derivatives of 1,3-diones having general formula (I):

wherein:

-A represents:

an aryl group optionally substituted by one or more substituents selected from halogen; NO2; CN; CHO; OH; linear or branched C1-C6 alkyl; linear or branched C1-Co haloalkyl; linear or branched C1-C6 alkoxyl; linear or branched C1-C6 haloalkoxyl; C_1 - C_6 cyanoalkyl; C_2 - C_6 alkoxyalkyl; C_2 - C_6 alkylthioalkyl; C_2 - C_6 alkylsulfinylalkyl; C2-C6 alkylsulfonylalkyl; C2-C6 haloalkoxyalkyl; C2-C6 haloalkylthioalkyl; C2-C6 haloalkylsulfinylalkyl; C2-C6 haloalkylsulfonylalkyl; C2-C6 alkoxyalkoxyl or C2-C6 haloalkoxyalkoxyl optionally substituted with a group selected from C1-C4 alkoxyl or C₁-C₄ haloalkoxyl; C₂-C₆ alkylthioalkoxyl; C₂-C₆ haloalkylthioalkoxyl; C₃-C₁₂ dialkoxyalkyl; C3-C12 dialkylthioalkyl; C3-C12 dialkylthioalkoxyl; C3-C12 dialkoxyalkoxyl; C2-C6 haloalkoxylaloalkoxyl; C3-C10 alkoxyalkoxyalkyl; C2-C6 alkenyl; C2-C6 haloalkenyl; C2-C6 alkenyloxy; C2-C6 haloalkenyloxy; C3-C8 alkenyloxyalkoxyl; C₃-C₆ haloalkenyloxyalkoxyl; C₂-C₆ alkynyl; C₂-C₆ haloalkynyl; C2-C6 alkynyloxy; C2-C6 haloalkynyloxy; C3-C8 alkynyloxyalkoxyl; C3-C8 haloalkynyloxyalkoxyl; C₃-C₁₂ acylaminoalkoxy; C₂-C₈ alkoxyiminoalkyl; C₂-C₈ haloalkoxyiminoalkyl; C3-C8 alkenyloxyiminoalkyl; C3-C8 haloalkenyloxyiminoalkyl; C_3 - C_8 alkynyloxyiminoalkyl; C_5 - C_8 haloalkynyloxyiminoalkyl; C_5 - C_{10} alkoxyalkynyloxyl; C₆-C₁₂ cycloalkylideneiminooxyalkyl; C₆-C₁₂ dialkylideneiminooxyalkyl; $-S(O)_mR_1$; $-OS(O)_tR_1$; $-SO_2NR_2R_3$; $-CO_2R_4$; - COR_5 ; — $CONR_6R_7$; — $CSNR_8R_9$; — $NR_{10}R_{11}$; — $NR_{12}COR_{13}$; — $NR_{14}CO_2R_{15}$; — $NR_{16}CONR_{17}R_{18}$; --- $PO(R_{19})_2$; - Q_1 ; -- ZQ_1 ; -- ZQ_1 ; -- $Z(CR_{20}R_{21})_2$; -- $Z(CR_{22}R_{23})_2$; -- $(CR_{24}R_{25})pZQ_4; -(CR_{26}R_{27})pZ(CR_{28}R_{29})qQ_5; -(CR_{30}R_{31})pZ(CR_{32}R_{33})qZ_1Q_6; Z_2(CR_{34}R_{35})p(C=Y)T$; $-Z_3(CR_{36}R_{37})v(CR_{38}R_{39}=CR_{40}R_{41})(C=Y)T$;

or it represents a heterocyclic group selected from pyridyl; pyrimidyl; quinolinyl; pyrazolyl; thiazolyl; oxazolyl; thienyl; furyl; benzothienyl; dihydrobenzothienyl; benzothienyl; benzothiazolyl; benzothiazolyl; benzothiazolyl;

benzothiazolonyl; benzoimidazolyl; benzoimidazolonyl; benzotriazolyl; chromanonyl; chromanyl; thiochromanonyl; thiochromanyl; 3a,4-dihydro-3H-indeno[1,2-e]isoxazolyl, 3a,4-dihydro-3H-chromeno[4, 3clisoxazolyl, 5,5-dioxide-3a,4-dihydro-3H-thiochromeno[4,3-c]isoxazolyl, 2,3,3a,4tetrahydrochromeno[4,3-c]pyrazolyl, 6,6-dioxide-2,3-dihydro-5H-[1,4]dithiino[2,3c]thiochromenyl, 5,5-dioxide-2,3,3a,4-tetrahydrothiochromeno[4,3-c]pyrazolyl, 1',1'dioxide-2',3'-dihydrospiro[1,3-dioxolano-2,4'-thiochromen]-yl, 1,1,4,4-tetraoxide-2,3dihydro-1,4-benzodithiin-6-yl, 4,4-dioxide-2,3-dihydro-1,4-benzoxathiin-7-yl, 1,1dioxide-3-oxo-2,3-dihydro-1,2-benzoisothiazol-5-yl, 4-(alkoxyimino)-1,1-dioxide-3,4-dihydro-2H-thiochromen-6-yl, 1,1-dioxide-4-oxo-3,4-dihydro-2H-thiochromen-6yl, 2,3-dihydro-1,4-benzoxathiin-7-yl, with said heterocyclic groups optionally substituted by one or more substituents selected from halogen; NO2; CN; CHO; OH; linear or branched C₁-C₆ alkyl; linear or branched C₁-C₆ haloalkyl; linear or branched C₁-C₆ alkoxyl; linear or branched C₁-C₆ haloalkoxyl; C₁-C₆ cyanoalkyl; C₂-C₆ alkoxyalkyl; C2-C6 alkylthioalkyl; C2-C6 alkyl sulfinylalkyl; C2-C6 alkylsulfonylalkyl; C₂-C₆ haloalkoxyalkyl; C₂-C₆ haloalkylthioalkyl; C₂-C₆ haloalkylsulfinylalkyl; C₂-C₆ haloalkylsulfonylalkyl; C2-C6 alkoxyalkoxyl or C2-C6 haloalkoxyalkoxyl optionally substituted with a group selected from C_1 - C_4 alkoxyl or C_1 - C_4 haloalkoxyl; C_2 - C_6 alkylthioalkoxyl; C₂-C₆ haloalkylthioalkoxyl; C₃-C₁₂ dialkoxyalkyl; C₃-C₁₂ dialkylthioalkyl; C₁-C₁₂ dialkylthioalkoxyl; C₃-C₁₂ dialkoxyalkoxyl; C₂-C₆ haloalkoxyhaloalkoxyl; C₃-C₁₀ alkoxyalkoxyalkyl; C₂-C₆ alkenyl; C₂-C₆ haloalkenyl; C₂-C₆ alkenyloxy; C₂-C₆ haloalkenyloxy; C₃-C₈ alkenyloxyalkoxyl; C₃-C₈ haloalkenyloxyalkoxyl; C₂-C₆ alkynyl; C₂-C₆ haloalkynyl; C₂-C₆ alkynyloxy; C₂-C₆ haloalkynyloxy; C₃-C₈ alkynyloxyalkoxyl; C₃-C₈ haloalkynyloxyalkoxyl; C₃-C₁₂ acylaminoalkoxy; C2-C8 alkoxyiminoalkyl; C2-C8 haloalkoxyiminoalkyl; C3-C8 alkenyloxyiminoalkyl; C₃-C₈ haloalkenyloxyiminoalkyl; C₃-C₈ alkynyloxyiminoalkyl; C₃-C₈ haloalkynyloxyiminoalkyl; C₅-C₃₀ alkoxyalkynyloxyl; C₆-C₁₂ cycloalkylideneiminooxyalkyl; C₆-C₁₂ dialkylideneiminooxyalkyl; —S(O)_mR₁; — $OS(O)_1R_1$; $-SO_2NR_2R_3$; $-CO_2R_4$; $-COR_5$; $-CONR_6R_7$; $-CSNR_8R_9$; $-NR_{10}R_{11}$;

 $-NR_{12}COR_{13}; -NR_{14}CO_{2}R_{15}; -NR_{16}CONR_{17}R_{18}; -PO(R_{19})_{2}; -Q; -ZQ_{1}; -C(R_{20}R_{21})_{p}Q_{2}; -Z(CR_{22}R_{23})_{p}Q_{3}; -(CR_{24}R_{25})_{p}ZQ_{4}; -(CR_{26}R_{27})_{p}Z(CR_{29}R_{29})_{q}Q_{5}; -(CR_{30}R_{31})_{p}Z(CR_{32}R_{33})_{q}Z_{1}Q_{6}; -Z_{2}(CR_{34}R_{35})_{p}(C=Y)T; -Z_{3}(CR_{36}R_{37}); \\ (CR_{38}R_{39}-CR_{40}R_{41})(C=Y)T;$

- -B represents a $D-(R_x)_n$ group;
- -R represents a hydrogen atom; a linear or branched C_1 - C_6 alkyl group; a linear or branched C_1 - C_6 haloalkyl group; a C_3 - C_6 cycloalkyl or C_4 - C_{12} cyclo-alkylalkyl group optionally substituted with halogen atoms or C_1 - C_6 alkyl or C_1 - C_6 thioalkyl or C_1 - C_6 alkoxyl or C_2 - C_6 alkoxycarbonyl groups; C_2 - C_6 alkenyl groups; C_2 - C_6 alkynyl groups; the latter two groups; in turn; optionally substituted with halogen atoms; a C_5 - C_6 cycloalkenyl group optionally substituted with halogen atoms or C_1 - C_6 alkyl groups; an aryl or arylalkyl group optionally substituted;
- -R₁ and R₁₉ represent a C₁-C₆ alkyl group or a C₁-C₆ haloalkyl group; a C₃-C₆ cycloalkyl group; an aryl group optionally substituted by one or more substituents selected from halogen, NO₂, CN, CHO, linear or branched C₁-C₆ alkyl, linear or branched C₁-C₆ haloalkyl, linear or branched C₁-C₆ alkoxyl, linear or branched C₃-C₆ haloalkoxyl, C₁-C₆ alkylsulfonyl, C₂-C₆ alkoxycarbonyl;
- -m is equal to 0, 1 or 2;
- -t is equal to 1 or 2;
- -R₂, R₃, R₆, R₇, R₈, R₉, R₁₀, R₁₁, R₁₇ and R₁₈, the same or different, represent a hydrogen atom; a linear or branched C₁-C₆ alkyl group in turn optionally substituted with halogen atoms; a C₁-C₆ alkoxyl group; a C₃-C₆ cycloalkyl group; an arylalkyl group or an aryl group; said arylalkyl and aryl groups also optionally substituted by

one or more substituents selected from halogen, NO₂, CN, CHO, linear or branched C_1 - C_6 alkyl, linear or branched C_1 - C_6 haloalkyl, linear or branched C_1 - C_6 alkoxyl, linear or branched C_1 - C_6 haloalkoxyl, C_1 - C_6 alkylsulfonyl, C_2 - C_6 alkoxycarbonyl, or, together with the group bonded to the same N atom, they jointly represent a C_2 - C_5 alkylene group;

-R₄, R₅ and R₄₂ represent a hydrogen atom; a linear or branched C₁-C₆ alkyl group in turn optionally substituted with halogen atoms; a C₃-C₆ alkenyl group in turn optionally substituted with halogen atoms; a Q₇ group, an arylalkyl group optionally substituted by one or more substituents selected from halogen, NO₂, CN, CHO, linear or branched C₁-C₆ alkyl, linear or branched C₁-C₆ haloalkyl, linear or branched C₁-C₆ alkoxyl, linear or branched C₁-C₆ alkoxyl, linear or branched C₁-C₆ haloalkoxyl, C₁-C₆ alkylsulfonyl, C₂-C₆ alkoxy-carbonyl;

- R_{12} , R_{14} and R_{16} represent a hydrogen atom; a linear or branched C_1 - C_6 alkyl group in turn optionally substituted with halogen atoms; a C_3 - C_6 cycloalkyl group; a C_1 - C_6 alkoxyl group; a C_1 - C_6 haloalkoxyl group;

-R₁₃ and R₁₅ represent a hydrogen atom; a linear or branched C₁-C₆ alkyl group in turn optionally substituted with halogen atoms; a C₃-C₆ alkenyl group in turn optionally substituted with halogen atoms; a Q₇, NH₂, NHCN, NHNH₂, NHOH group, an arylalkyl group optionally substituted by one or more substituents selected from halogen, NO2, CN, CHO, linear or branched C₃-C₆ alkyl, linear or branched C₁-C₆ haloalkyl, linear or branched C₁-C₆ haloalkoxyl, C₁-C₆ alkylsulfonyl, C₂-C₆ alkoxycarbonyl;

 R_{20} , R_{21} , R_{22} , R_{23} , R_{24} , R_{25} , R_{26} , R_{27} , R_{28} , R_{29} , R_{30} , R_{31} , R_{32} , R_{33} , R_{34} , R_{35} , R_{36} , R_{37} , R_{38} , R_{39} , R_{40} and R_{41} , the same or different, represent: a hydrogen atom; a linear or branched C_1 - C_6 alkyl group in turn optionally substituted with halogen atoms; a C_1 - C_6

alkoxyl group; or the two groups attached to the same carbon atom can be joined to each other by C_2 - C_5 alkylene groups, the alkylene groups can in turn be substituted with C_1 - C_3 alkyl groups;

-Q, Q₁, Q₂, Q₃, Q₄, Q₅, Q₆ and Q₇ represent an aryl group; a C₃-C₆ cycloalkyl group; a C5-C6 cycloalkenyl group; a heterocyclic group selected from triazolyl; triazolonyl; pyrazolyl; imidazolyl; imidazolidinonyl; tetrazolyl; tetrazolonyl; isoxazolyl; furyl; thienyl; pyrrolidinyl; pyrrolidinonyl; pyridyl; pyrimidinyl; pyrimidinonyl; pyrazinyl; pyridazinyl; oxazolyl; thiazolyl; oxadiazolyl; thiadiazolyl; isothiazolyl; benzoxazolyl; benzothiazolyl; isoxazolinyl; 1,3-dioxanyl; 1,4-dioxanyl; 1,3dioxolanyl; tetrahydropyranyl; oxethanyl; oxyranyl; thiazolidinyl; oxazolidinyl; piperidinyl; piperidinonyl; piperazinyl; morpholinyl; thiazinyl; tetrahydrofuranyl; dioxazolyl; tetrahydrofuroisoxazolyl; 2-oxa-3-azabicyclo[3.1.0]hex-3-enyl; said groups optionally substituted by one or more substituents selected from halogen: NO2: OH; CN; CHO; linear or branched C1-C6 alkyl; linear or branched C1-C6 haloalkyl; linear or branched C1-C6 alkoxyl; linear or branched C1-C6 haloalkoxyl; C1-C₆ cyanoalkyl; C₂-C₆ alkoxyalkyl; C₂-C₆ alkylthioalkyl; C₂-C₆ alkylsulfinylalkyl; C₂-C₆ alkylsulfonylalkyl; C₂-C₆ haloalkoxyalkyl; C₂-C₆ haloalkylthioalkyl; C₂-C₆ haloalkylsulfinylalkyl; C2-C6 haloalkylsulfonylalkyl; C2-C6 alkoxyalkoxyl or C2-C6 haloalkoxyalkoxyl optionally substituted with a group selected from C1-C4 alkoxyl or C₁-C₄ haloalkoxyl; C₂-C₆ alkylthioalkoxyl; C₂-C₆ haloalkylthioalkoxyl; C₃-C₁₂ dialkoxyalkyl; C₃-C₁₂ dialkylthioalkyl; C₃-C₁₂ dialkylthioalkoxyl; C₃-C₁₂ dialkoxyalkoxyl; C₂-C₆ haloalkoxyhaloalkoxyl; C₃-C₁₀ alkoxyalkoxyalkyl; C₂-C₆ alkenyl; C_2 - C_6 haloalkenyl; C_2 - C_6 alkenyloxy; C_2 - C_6 haloalkenyloxy; C_3 - C_8 alkenyloxyalkoxyl; C_3 - C_8 haloalkenyloxyalkoxyl; C_2 - C_6 alkynyl; C_2 - C_6 haloalkynyl; C2-C6 alkynyloxy; C2-C6 haloalkynyloxy; C3-C8 alkynyloxyalkoxyl; C3-C8 haloalkynyloxyalkoxyl; C3-C12 acylaminoalkoxy; C2-C8 alkoxyiminoalkyl; C2-C8 haloalkoxyiminoalkyl; C₃-C₈ alkenyloxyiminoalkyl; C₃-C₈ haloalkenyloxyiminoalkyl; C₃-C₈ alkynyloxyiminoalkyl; C₃-C₈ haloalkynyloxyiminoalkyl; C₅-C₁₀

```
alkoxyalkynyloxyl; C<sub>6</sub>-C<sub>12</sub> cycloalkylideneiminooxyalkyl; C<sub>6</sub>-C<sub>12</sub> dialkylideneiminooxyalkyl; aryl optionally substituted; --S(O)<sub>m</sub>R<sub>1</sub>; --OS(O)<sub>t</sub>R<sub>1</sub>; --SO<sub>2</sub>NR<sub>2</sub>R<sub>3</sub>; --CO<sub>2</sub>R<sub>4</sub>; --COR<sub>5</sub>; --CONR<sub>6</sub>R<sub>7</sub>; --CSNR<sub>8</sub>R<sub>9</sub>; --NR<sub>10</sub>R<sub>11</sub>; --NR<sub>12</sub>COR<sub>13</sub>; --NR<sub>14</sub>CO<sub>2</sub>R<sub>15</sub>; --NR<sub>16</sub>CONR<sub>17</sub>R<sub>18</sub>; --PO(R<sub>19</sub>)<sub>2</sub>; -Z<sub>2</sub>(CR<sub>34</sub>R<sub>35</sub>)<sub>p</sub>(C=Y)T; -Z<sub>3</sub>(CR<sub>36</sub>R<sub>37</sub>)<sub>v</sub>(CR<sub>38</sub>R<sub>39</sub>=CR<sub>40</sub>R<sub>41</sub>)(C=Y)T; Z, Z<sub>1</sub>, Z<sub>2</sub>=O, S(O)<sub>r</sub>; Y=O, S; r is equal to 0, 1 or 2; v is equal to 0 or 1; Z<sub>3</sub>=O, S or a direct bond;
```

T represents: a hydrogen atom; a Z_4R_{42} group; a —NR₄₃R₄₄ group; an aryl group or a heterocyclic group selected from triazolyl; triazolonyl; pyrazolyl; imidazolyl; imidazolyl; imidazolyl; tetrazolonyl; pyrrolyl; pyrrolidinyl; pyrrolidinonyl; pyridyl; pyrimidinyl; piperidinyl; piperidinonyl; piperazinyl; morpholinyl; said aryl and hetrocyclic groups optionally substituted by one or more substituents selected from halogen; NO₂; OH; CN; CHO; linear or branched C₁-C₆ alkyl; linear or branched C₁-C₆ haloalkyl; C₃-C₆ cycloalkenyl; linear or branched C₁-C₆ alkoxyl; linear or branched C₁-C₆ haloalkoxyl; C₃-C₆ cyanoalkcyl; C₂-C₆ alkoxyalkyl; C₂-C₆ alkylsulfinylalkyl; C₂-C₆ haloalkoxyalkyl; C₂-C₆ haloalkylsulfinylalkyl; C₂-C₆ haloalkylsulfinylalkyl; C₂-C₆ haloalkylsulfinylalkyl; C₂-C₆ haloalkylsulfinylalkyl; C₂-C₆ haloalkylsulfinylalkyl; C₂-C₆

Z_4 =O, S or a direct bond;

 R_{43} and R_{44} , the same or different, represent: a hydrogen atom; a linear or branched C_1 - C_6 alkyl group in turn optionally substituted with halogen atoms; a C_3 - C_6 alkenyl group in turn optionally substituted with halogen atoms; a Q_7 group; an arylalkyl group optionally substituted by one or more substituents selected from halogen; NO_2 ; CN; CHO; linear or branched C_1 - C_6 alkyl; linear or branched C_1 - C_6 haloalkyl; linear or branched C_1 - C_6 alkoxyl; or they jointly represent a C_2 - C_5 alkylene chain;

D represents: a heterocyclic group of the heterocyclic type, in all the above cases the heterocycle can be mono or polycyclic and can be connected to the rest of the structure either through one of its carbon atoms or, when possible, through one of its nitrogen atoms;

R_x represents a substituent selected from: hydrogen; halogen; NO₂; CN; CHO; OH; linear or branched C₁-C₆ alkyl; linear or branched C1-C₆ baloalkyl; linear or branched C₁-C₆ alkoxyl; linear or branched C₁-C₆ haloalkoxyl; C₁-C₆ cyanoalkyl; C₂-C₆ alkoxyalkyl; C₂-C₆ alkylthioalkyl; C₂-C₆ alkylsulfinylalkyl; C₂-C₆ alkylsulfonylalkyl; C₂-C₆ haloalkoxyalkyl; C₂-C₆ haloalkylsulfinylalkyl; C₂-C₆ haloalkylsulfinylalkyl; C₂-C₆ haloalkylsulfonylalkyl; C₂-C₆ alkoxyalkoxyl or C₂-C₆ haloalkoxyalkoxyl optionally substituted with a group selected from C₁-C₄ alkoxyl or C₁-C₄ haloalkoxyl; C₂-C₆ haloalkylthioalkoxyl; C₃-C₁₂ dialkoxyalkyl; C₃-C₁₂ dialkylthioalkoxyl; C₃-C₁₂ dialkoxyalkoxyl; C₃-C₁₂ dialkoxyalkoxyl; C₂-C₆ haloalkoxyhaloalkoxyl; C₃-C₁₆ alkoxyalkoxyl; C₂-C₆ haloalkenyloxy; C₂-C₆ haloalkenyloxy; C₂-C₆ alkenyloxy; C₂-C₆ alkynyl; C₂-C₆ haloalkynyl; C₂-C₆ haloalkynyloxy; C₃-C₈ alkynyloxy; C₃-C₈ alkynyloxy; C₃-C₈ haloalkynyloxy; C₃-C₈ alkynyloxyl; C₃-C₈ haloalkynyloxy; C₃-C₈ alkynyloxyl; C₃-C₈ haloalkynyloxy; C₂-C₆

alkoxyiminoalkyl; C₂-C₈ haloalkoxyiminoalkyl; C₃-C₈ alkenyloxyiminoalkyl; C₃-C₅ haloalkenyloxyiminoalkyl; C3-C8 alkynyloxyiminoalkyl; C3-C8 haloalkynyloxyiminoalkyl; C₅-C₁₀ alkoxyalkynyloxyl; C₆-C₁₂ cycloalkylideneiminooxyalkyl; C₆-C₁₂ dialkylideneiminooxyalkyl; —S(O)_mR₁; — $OS(O)_{1}R_{1}; -SO_{2}NR_{2}R_{3}; -CO_{2}R_{4}; -COR_{5}; -CONR_{6}R_{7}; -CSNR_{8}R_{9}; -NR_{10}R_{11};$ $-NR_{12}COR_{13}$; $-NR_{14}CO_2R_{15}$; $-NR_{16}CONR_{17}R_{18}$; $-PO(R_{19})_2$; -Q; $-ZQ_1$; - $(CR_{20}R_{21})_{p}Q_{2}$; $-Z(CR_{22}R_{23})_{p}Q_{3}$; $--(CR_{24}R_{25})_{p}ZQ_{4}$; $--(CR_{26}R_{27})_{p}Z(CR_{28}R_{29})_{q}Q_{5}$; -- $(CR_{30}R_{31})_pZ(CR_{32}R_{33})_qZ_1Q_6$; $-Z_2(CR_{34}R_{35})_p(C=Y)T$; - $Z_3(CR_{36}R_{37})_v(CR_{38}R_{39}=CR_{40}R_{41})(C=Y)T;$ if several R, groups are present, these can be the same or different; n=1-9; excluding the following compounds having general formula (I) wherein A, B and R have the following meanings: A=4-chlorophenyl, B=1-methylimidazol-2-yl, R=H; A=4-nitrophenyl, B=1-(2-hydroxyethyl)-5-nitroimidazol-2-yl, R=H; A=phenyl, B=1H-benzimidazol-2-yl, R=C₂H₅; A=phenyl, B=4H-1-benzopyran-4-yl, R=CH₃; A=4-nitrophenyl, B=3-(4-methylphenyl)-1,2,4-oxadiazol-5-yl, R=CH₃;A=phenyl, B=4-chloro-2,5-dioxo-2,5-dihydro-1H-pyrrol-3-yl, R=CH₃;A=phenyl, B=2-acetyl-1,2,3,4-tetrahydroisoquinolin-1-yl, R=C₂H₅; A=2-hydroxy-4-methoxyphenyl, B=thiazol-4-yl, R=CH₃; A=phenyl, B=2,5-diphenyl-1,3-oxathiol-2-yl, R=CH₃; A=4nitrophenyl, B=4,6-bis(dimethylamino)-1,3,5-triazin-2-yl, R=CH₃; A=phenyl, B=furan-2-yl, R=CH₃; A=phenyl, B=1,3-dithian-2-yl, R=CH₃, A=phenyl, B=4chlorothien-2-yl, R=H; A=phenyl, B=5-bromothien-2-yl, R=H; A=phenyl, B=5methylthien-2-yl, R=H; A=phenyl, B=6-phenylpyrazin-2-yl, R=CH₃; A=phenyl, B=3,4-dihydro-3-methyl-2-oxo-2H-1,3-benzo-oxazin-4-yl, R=CH3; A=phenyl, B=benzothiazol-2-yl, R=CH₃; A=2-hydroxy-4-methoxyphenyl, B=2-phenylthiazol-4yl, R=CH₃; A=phenyl, B=5-methylfuran-2-yl, R=CH₃, A=phenyl, B=3-(4methylphenyl)-1,2,4-oxadiazol-5-yl, R=CH₃; A=phenyl, B=tetrahydrofuran-2-yl, R=CH₃; A=phenyl, B=2,3-dihydro-3-hydroxy-2-oxo-1H-indol-3-yl, R=CH₃, A=phonyl, B=4-chloro-1-methyl-2,5-dioxo-2,5-dihydro-pyrrol-3-yl, R=CH₃;

A=phenyl, B=22-trifluoroacetyl-1,2,3,4-tetrahydroiso-quinolin-1-yl, R=C₂H₅; A=phonyl, B=2-acetyl-1,2,3,4-totrahydroisoquinolin-1-yl, R=CH3; A=4-nitrophenyl, B=2-(4-nitrophenyl)-3,5,6-triphenyl-pyridin-4-yl, R= CH₃; A=phenyl, B=4,6-bis (dimethylamino)-1,3,5-triazin-2-yl, R=CH₃; A=phenyl, B=4-mcthoxy-5-tert-butoxycarbonyl-1H-pyrro-2-yi, R=CH₃; A=phenyl, B=1,3-dihydro-3-oxo-isobenzofuran-1-yl, R= CH₃; A=phenyl, B=(5methoxycarbonylmethyl)thien-2-yl, R=H;A=phenyl, B=4-methylthien-2-yl, R=H; A=phenyl, B=1,4-dihydro-1-methyl-3-nitroquinolin-4-yl, R=H; A=phenyl, B=thien-2yl, R=H; A=phenyl, B=6-methylbenzothiazol-2-yl, R= CH₃; A=2methoxycarbonylphenyl, B=phenyl, R= CH₃; A=2-benzyloxy-4-methoxyphenyl, B=2,3,4-trimethoxyphenyl, R=H; A=4,5-dimethoxy-2-nitrophenyl, B=3,4dimethoxyphenyl, R=H; A=2-nitrophenyl, B=phenyl, R=H; A=2,4,5trimethoxyphenyl, B=4-methoxyphenyl, R=H; A=4-bromophenyl, B=phenyl, R=H; A=4-bromophenyl, B=2,4-dinitrophenyl, R= CH₃; A=4-chlorophenyl, B=phenyl, R=H;A=2,4-dibenzyloxy-5-methoxyphenyl, B=1,3-benzodioxol-5-yl, R=H; A=2,4-dibenzyloxyphenyl, B=1,3-benzodioxol-5-yl, R=H;A=4-methoxyphenyl, B=2carboxyphenyl, R=H; A=4-methylphenyl, B=2,4-dinitrophenyl, R= CH₃; A=4hydroxy-3-methoxyphenyl, B=4-hydroxy-3-methoxyphenyl, R=H; A=2-nitrophenyl, B=4-methylphenyl, R=H; A=4-chlorophenyl, B=4-chlorophenyl, R=H; A=2,4diacetoxyphenyl, B=phenyl, R=CH₃; A=3-methoxyphenyl, B=phenyl, R=C₂R₅; A=4-nitrophenyl, B=phenyl, R=H; A=2-nitrophenyl, B=4-n-butoxyphenyl, R=H; A=2-nitro-4-chlorophenyl, B=4-methylphenyl, R=H; A=phenyl, B=8carboxynaphthalenyl, R=CH3, A=2,5-dimethoxyphenyl, B=2-hydroxyphenyl, R=C₂R₅; A=4-fluorophenyl, B=2-nitro-4-trifluoromethylphenyl, R=CH₃; A=3-chloro-4-methylphenyl, B=2,4-dinitrophenyl, R= CH₃;A=2-nitro-4chlorophenyl, B=phenyl, R=H; A=4,5-dimethoxy-2-nitrophenyl, B=4-methylphenyl, R=H; A=2-carboxy-6-nitrophenyl, B=phenyl, R=CH₃; A=2,4,5-trimethoxyphenyl, B=3-methoxyphenyl, R=H; A=phenyl, B=4-bromophenyl, R=H; A=6-benzyloxy-2,3,4-trimethoxyphenyl, B=1,3-benzodioxol-5-yl, R=H; A=4,5-dimethoxy-2-

nitrophenyl, B=4-methoxyphenyl, R=H; A=4,5-dimethoxy-2-nitrophenyl, B=4chlorophenyl, R=H; A=2.4-dibenzyloxyphenyl, B=4-methoxyphenyl, R=H; A=4-methylphenyl, B=4-methylphenyl, R=H; A=4-dimethylaminophenyl, B=phenyl, R=H; A=4-methoxyphenyl, B=phenyl, R=H; A=4,5-dichloro-2-nitrophenyl, B=4chlorophenyl, R=H; A=2-nitrophenyl, B=4-methoxyphenyl, R=H; A=phenyl, B=2,5dimethoxycarbonylaminophenyl, R=CH₃; A=4-hydroxy-4-methoxyphenyl, B=2methoxyphenyl, R=H; A=phenyl, B=4-methylphenyl, R=H; A=2-nitrophenyl, B=4-cthoxyphenyl, R=H; A=2-nitro-4-chlorophenyl, B=4methoxyphenyl, R=H; A=4-chlorophenyl, B=phenyl, R=C₂H₅; A=2-t-butoxycarbonyl-5-ethyl-4-methoxyphenyl, B=2,3-dihydro-7-methyl-1,4-benzodioxin-6-yl, R=t-butyl; A=phenyl, B=2-nitro-4-trifluoromethylphenyl, R= CH₃; A=3,4-dichlorophenyl, B=2,4-dinitrophenyl, R= CH₃;A=4,5-dichloro-2-nitrophenyl, B=4-methoxyphenyl, R=H; A=4-methoxy-2-nitrophenyl, B=4-methylphenyl, R=H; A=phenyl, B=anthracene-9-yl, R= CH₃,A=phenyl, B=4-methoxyphenyl, R=H; A=2,4,5-trimethoxyphenyl, B=phényl, R=H;A=2,4-diacetoxyphenyl, B=2,4,5trimethoxyphenyl, R=CH₃; A=2-hydroxyphenyl, B=phenyl, R=H; A=4-methoxy-2-nitrophenyl, B=phenyl, R=H; A=4,5-dimethoxy-2-nitrophenyl, Bphenyl, R=H; A=2,4-dinitrophenyl, B=phenyl, R= CH₃; A=phenyl, B=phenyl, R= CH₃;A=phenyl, B=4-dimethylaminophenyl, R=H;A=phenyl, B=2,4-dinitrophenyl, R= CH₃; A=4,5-dichloro-2-nitrophenyl, B=4-methylphenyl, R=H; A=4-bromophenyl, B=phenyl, R= CH₃; A=2-(4-methylphenylsulfonyloxy)-6methoxyphenyl, B=phenyl, R=H; A=4-methylsulfonylphenyl, B=2-methoxyphenyl, R= CH₃; A=4-methoxyphenyl, B=4-methoxyphenyl, R= CH₃; A=phenyl, B=4-chlorophenyl, R=H: A=2-nitrophenyl, B=4-nitrophenyl, R=H; A=phenyl, B=phenyl, R=H; A=2,4-dimethoxyphenyl, B=4-methoxyphenyl, R=H; A=2-nitrophenyl, B=4-n-hexyloxyphenyl, R=H; A=4-methoxy-2-nitrophenyl, B=4methoxyphenyl, R=H; A=phenyl, B=9-carboxyphenanthren-10-yl, R=CH₃; A=phenyl, B=phenyl, R= CH₃; A=3,4-dimethoxyphenyl, B=3,4-dimethoxyphenyl, R=H; A=2,4-dimethoxyphenyl, B=phenyl, R=H; A=phenyl, B=2-hydroxy-3,4,6-

trimethyl-5-methoxyphenyl, R=CH₃; A=4-chloro-2-nitrophenyl, B=4-chlorophenyl, R=H; A=2-nitrophenyl, B=4-chlorophenyl, R=H; A=2,4,5-trimethoxyphenyl, B=3,4-dimethoxyphenyl, R=H; A=4-chlorophenyl, B=2,4-dinitrophenyl, R=CH₃; A=4,5-dichloro-2-nitrophenyl, B=phenyl, R=H; A=4-methoxyphenyl, B=phenyl, R=CH₃; A=2,4-dibenzyloxyphenyl, B=3,4-dimethoxyphenyl, R=H; A=4-methylthiophenyl, B=4-methoxyphenyl, R= CH₃; A=phenyl, B=phenyl, R=C₂H₅; A=4-methoxyphenyl, B=2,4-dinitrophenyl, R=CH₃; A=2-nitrophenyl, B=3-chlorophenyl, R=H; A=2-nitrophenyl, B=3,4-dimethoxyphenyl, R=H; A=4-methoxyphenyl, B=4-methoxyphenyl, R=H; A=2-hydroxyphenyl, B=4-methoxyphenyl, R=H; A=phenyl, B=2,5-bis(phenacylamino)phenyl, R=CH₃; A=4-nitrophenyl, B=4-methylphenyl, R=H; A=2-nitrophenyl, B=4-n-pentyloxyphenyl, R=H; A=4-methoxy-2-nitrophenyl, B=4-chlorophenyl, R=H; A=phenyl, B=2-carboxynaphthalen-1-yl, R=CH₃.

18 (Canceled)